

From the Principal

29 March 2022

Dear Parents and Carers,

Earlier this month the UK Health Security Agency (UKHSA) noted an increasing number of outbreaks of **Norovirus** in England.

This letter is to advise you that we have this week noticed diarrhoea and vomiting illness, which is often present in the community at this time of the year, also circulating at School. I have notified Public Health Birmingham of a small number of staff and pupils presently ill and away from School.

In such circumstances the UKHSA seek to remind people of simple steps that can be taken to limit the spread of the bug.

We would be grateful for the support of parents and carers in helping us reduce the spread of the infection. If your child has symptoms of diarrhoea and/or vomiting, please keep them at home until 48 hours after they are symptom-free. During this time, they should not mix with other children outside the home or visit local venues.

Norovirus is commonly known as Winter Vomiting Disease and often occurs in the community and in Schools and Nurseries at this time of the year. If your child is ill, you may find the following information useful:

Advice for Parents and Carers about Norovirus

What are the symptoms?

diarrhoea and vomiting usually lasting 1 -2 days

What should you do if your child is unwell?

- Make sure they get lots of rest.
- Ensure they drink plenty of fluids, taking sips rather than gulps to avoid vomiting.
- Give Paracetamol or Ibuprofen if they are tolerant of those medications, and according to product instructions, to help keep their temperature down.
- If your child is unusually sleepy, won't take fluids or has other symptoms, such as blood in their diarrhoea, an unusual rash, headache, neck stiffness or difficulty breathing, ring NHS Direct (by dialling 111), contact your GP, or take your child to hospital.
- Please telephone the School and let us know that your child is ill and what symptoms they have.



• Keep them at home until they are well enough to return to School. However, if your child has been suffering from diarrhoea and vomiting keep them at home until they have been free of symptoms for 48 hours.

How can you prevent the spread of these infections?

Hand washing is one of the most important ways to prevent the spread of infections. This applies to the child who is ill and any person looking after them.

Hands should always be washed, using liquid soap if possible (hand sanitizers are not known to be particularly effective for Norovirus):

- Before and after caring for your child
- After using the toilet
- Before eating or handling food
- After cleaning up a mess (vomit, faeces, or urine)

Other ways of preventing the spread of infection are to:

- Keep a separate towel for family members who have symptoms.
- Dispose promptly of used tissues and other items that your child may have coughed or sneezed on.
- Wash soiled clothing, bed linen and towels in a washing machine. Use the hottest wash for that fabric.
- Clean baths and washbasins thoroughly and disinfect after use.
- If cleaning up diarrhoea or vomit, wash the surface with hot soapy water and disinfect before
 allowing to dry. If using bleach remember that it can remove the colour from fabrics and can burn
 the skin.

Please keep your child away from other children and particularly vulnerable people, such as the elderly and those with chronic illnesses.

Yours faithfully,

homsua

Mr C Townsend Principal